

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	(Izumida-keizo).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/20 08:55
S2	55	(takeda-takeshi).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:42
S3	2	(takeda-takeshi).in. and (power adj supply adj control adj method)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 09:50
S4	2	(nakano-kazuyuki).in. and (power adj supply adj control adj method)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 09:51
S5	5	((("5,313,401") or ("4,468,601") or ("5,305,524") or ("5,911,456") or ("5,727,311")).PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/04/19 10:03
S6	1	("6701611").PN.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2006/04/19 14:08
S7	50	(power near (redundancy or backup)) and ((chip or component) near (installing or mounting))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 15:24
S8	887	(power near (redundancy or backup or control)) and ((chip or component) near (installing or mounting))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 14:13
S9	14	(power near (redundancy or backup)) and ((chip or component) near (installing or mounting) with (apparatus or device or machine or equipment))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 14:26
S10	124	(power near redundancy) and ((chip or component or IC) with (apparatus or machine or device))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 15:26
S11	0	emergency with power with (shutoff or cutoff) and standby and (power near (redundancy or redundant or backup)) and ((IC or component or chip) with (mounting or installing or inserting))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 16:54
S12	20	(power with standby) and (power near (redundancy or redundant or backup)) and ((IC or component or chip) with (mounting or installing or inserting))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:12

## EAST Search History

S13	16	("4731703"   "5067041"   "5590938"   "5612854"   "5642260"   "5675194"   "5684671"   "5726866"   "5816673"   "5822184"   "6016252"   "6018456"   "6078503"   "6169249"   "6175490"   "D356995").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/19 17:06
S14	745	(power with standby) and (power near (redundancy or redundant or backup)) and ((IC or component or chip))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:12
S15	108	(power with standby) and (power near (redundancy or redundant or backup)) and ((IC or component or chip) same (mounting or installing or inserting))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:27
S39	9761	switch\$3 and resistor and AC and DC and power and charg\$3 and battery	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:43
S40	2115	switch\$3 with resistor and AC and DC with power and charg\$3 with battery	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:44
S41	1835	switch\$3 with resistor and AC with power and DC with power and charg\$3 with battery	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:44
S42	1043	switch\$3 with resistor and AC with power and (DC with power) same (charg\$3 with battery)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:50
S43	4861	switch\$3 with resistor and AC with power and generator	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:51
S44	990	switch\$3 with resistor and (AC with power) with generator	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:51
S45	95	switch\$3 with resistor and (AC with power) with generator and (backup or redundancy)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 17:56
S46	43	switch\$3 with resistor and (AC with power) and generator with (backup or redundancy)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 18:01
S47	39	switch\$3 with resistor and (AC with (main adj power)) and generator and (backup or redundancy)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 18:01

## EAST Search History

S48	41	("2079500"   "2517575"   "3348060"   "3356930"   "3500167"   "3535608"   "3659184"   "4037156"   "4065711"   "4140958"   "4245294"   "4272716"   "4272806"   "4288739"   "4302714"   "4321523"   "4335344"   "4352067"   "4396986"   "4423379"   "4507722"   "4536696"   "4629964"   "4639655"   "4739225"   "4755733"   "5039931"   "5041959"   "5111148"   "5192905"   "5220495"   "5254952"   "5285367"   "5382893"   "5387858").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/19 18:05
S62	313	backup near generator	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 18:14
S63	222	(backup near generator) and switch\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 18:14
S64	70	(backup near generator) and switch\$3 and (resistor or impedance)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/19 18:15
S65	15	("2740904"   "3678284"   "3753069"   "4131827"   "4262209"   "4563624"   "4686375"   "4715192"   "4731547"   "4884160"   "5021679"   "5493155"   "5500561"   "5536976").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/19 18:18
S66	20	("1167119"   "1506750"   "2780733"   "2790090"   "3009067"   "3243598"   "3518445"   "3636414"   "3678284"   "3944837"   "3946242"   "4121271"   "4150300").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/19 18:32
S67	13	("3946242").URPN.	USPAT	OR	ON	2006/04/19 18:36
S68	59	("4262209").URPN.	USPAT	OR	ON	2006/04/19 18:51
S69	8	(29/832.ccls.) and (component adj mounting adj apparatus) and (component near feed) and (component near transfer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/20 08:51
S70	8	(29/832,829,834,836,837.ccls.) and (component adj mounting adj apparatus) and (component near feed) and (component near transfer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/20 08:52

## EAST Search History

S71	8	(29/740,743,759.ccls.) and (component adj mounting adj apparatus) and (component near feed) and (component near transfer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/20 08:53
S72	2	700/160.ccls. and control and ((power or energy) with (saving or efficient or off)) and (component with apparatus)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2006/04/20 08:55